


AvanTech YOU, full extension runner with Silent System

- ▶ Inlay internal pot-and-pan drawer with customisable front, height 187 mm (space required 192 mm), Load capacity XS (10 kg) / M (30 kg) / L (40 kg) / XL (70 kg)



- ▶ Slimline, sleek 13 mm drawer side profile without visible openings
- ▶ Drawer side profiles straight on the inside and outside
- ▶ Highly customisable through inlays in glass or any chosen materials/looks
- ▶ Invisibly integrated vertical, lateral and tilt adjustment
- ▶ Suitable for use with Actro YOU or Quadro YOU runner system
- ▶ Actro YOU drawer runner with integrated synchronisation, gentle and strong
- ▶ Silent System - integrated soft closing for quiet and gentle closure

Specification

AvanTech YOU internal pot-and-pan drawer from Hettich, powder coated in:

- a) silver aluminium colour
- b) pure matt white
- c) metal pigmented anthracite

Finish of Inlay drawer side panel:

- a) clear glass
- b) customised

Finish of customisable internal front in half height or full height:

- a) clear glass
- b) customised

Drawer side profiles and drawer runners in nominal length and load class:

- a) 350 mm (space required 362 mm), 10 kg / 30 kg / 40 kg
- b) 400 mm (space required 412 mm), 30 kg / 40 kg
- c) 450 mm (space required 462 mm), 30 kg / 40 kg / 70 kg
- d) 500 mm (space required 512 mm), 30 kg / 40 kg / 70 kg
- e) 550 mm (space required 562 mm), 30 kg / 40 kg / 70 kg
- h) 600 mm (space required 612 mm), 30 kg / 40 kg / 70 kg
- g) 650 mm (space required 662 mm), 70 kg

Load capacity 10/30/40/70 kg to EN 15338 Level 3.

Integrated soft closing. Integrated vertical, lateral and tilt adjustment

Optional features

- ▶ Locking systems
- ▶ Adapter for 10 mm fronts
- ▶ Interior organisation



Further information: www.hettich.com

AvanTech YOU, full extension runner with Push to open Silent

- ▶ Drawer, height 77 mm (space required 82 mm), Load capacity M (30 kg) / L (40 kg) / XL (70 kg)



- ▶ Slimline, sleek 13 mm drawer side profile without visible openings
- ▶ Drawer side profiles straight on the inside and outside
- ▶ Highly customisable through designer profiles in various colours
- ▶ Invisibly integrated vertical, lateral and tilt adjustment
- ▶ Suitable for use with Actro YOU or Quadro YOU runner system
- ▶ Actro YOU drawer runner with integrated synchronisation, gentle and strong
- ▶ Push to open Silent - opening in response to a light push, silent and soft closing

Specification

AvanTech YOU drawer from Hettich, powder coated in:

- a) silver aluminium colour
- b) pure matt white
- c) metal pigmented anthracite

Finish of designer profile on top of drawer side profile:

- a) in drawer side profile colour
- b) in accent colour (aluminium, stainless steel, chrome, oak, walnut)

Drawer side profiles and drawer runners in nominal length and load class:

- a) 450 mm (space required 453 mm), 30 kg / 40 kg / 70 kg
- b) 500 mm (space required 503 mm), 30 kg / 40 kg / 70 kg
- c) 550 mm (space required 553 mm), 30 kg / 40 kg / 70 kg

Load capacity 30/40/70 kg to EN 15338 Level 3.

Integrated opening system with soft closing. Integrated vertical, lateral and tilt adjustment

Optional features

- ▶ Adapter for 10 mm fronts
- ▶ Interior organisation
- ▶ Push to open Silent synchronisation



Further information: www.hettich.com

AvanTech YOU, full extension runner with Push to open Silent

- ▶ Drawer, height 101 mm (space required 106 mm),
Load capacity XS (10 kg) / M (30 kg) / L (40 kg) / XL (70 kg)



- ▶ Slimline, sleek 13 mm drawer side profile without visible openings
- ▶ Drawer side profiles straight on the inside and outside
- ▶ Highly customisable through designer profiles or DesignCapes in various colours
- ▶ Invisibly integrated vertical, lateral and tilt adjustment
- ▶ Suitable for use with Actro YOU or Quadro YOU runner system
- ▶ Actro YOU drawer runner with integrated synchronisation, gentle and strong
- ▶ Push to open Silent - opening in response to a light push, silent and soft closing

Specification

AvanTech YOU drawer from Hettich, powder coated in:

- a) silver aluminium colour
- b) pure matt white
- c) metal pigmented anthracite

Finish of designer elements:

- a) Designer profile on top of drawer side in drawer side colour or accent colour (aluminium, stainless steel, chrome, oak, walnut)
- b) DesignCape on top of drawer side/outer side in anodised aluminium or stainless steel look

Drawer side profiles and drawer runners in nominal length and load class:

- a) 270 mm (space required 273 mm), 10 kg / 30 kg / 40 kg
- b) 300 mm (space required 303 mm), 10 kg / 30 kg / 40 kg
- c) 350 mm (space required 353 mm), 10 kg / 30 kg / 40 kg
- d) 400 mm (space required 403 mm), 30 kg / 40 kg
- e) 450 mm (space required 453 mm), 30 kg / 40 kg / 70 kg
- f) 500 mm (space required 503 mm), 30 kg / 40 kg / 70 kg
- g) 550 mm (space required 553 mm), 30 kg / 40 kg / 70 kg
- h) 600 mm (space required 603 mm), 30 kg / 40 kg / 70 kg
- i) 650 mm (space required 653 mm), 70 kg

Load capacity 10/30/40/70 kg to EN 15338 Level 3.

Integrated opening system with soft closing. Integrated vertical, lateral and tilt adjustment

Optional features

- ▶ Adapter for 10 mm fronts
- ▶ Interior organisation
- ▶ Push to open Silent synchronisation



Further information: www.hettich.com

AvanTech YOU, full extension runner with Push to open Silent

- ▶ Drawer, height 139 mm (space required 144 mm),
Load capacity XS (10 kg) / M (30 kg) / L (40 kg) / XL (70 kg)



- ▶ Slimline, sleek 13 mm drawer side profile without visible openings
- ▶ Drawer side profiles straight on the inside and outside
- ▶ Highly customisable through designer profiles in various colours
- ▶ Invisibly integrated vertical, lateral and tilt adjustment
- ▶ Suitable for use with Actro YOU or Quadro YOU runner system
- ▶ Actro YOU drawer runner with integrated synchronisation, gentle and strong
- ▶ Push to open Silent - opening in response to a light push, silent and soft closing

Specification

AvanTech YOU drawer from Hettich, powder coated in:

- a) silver aluminium colour
- b) pure matt white
- c) metal pigmented anthracite

Finish of designer profile on top of drawer side profile:

- a) in drawer side profile colour
- b) in accent colour (aluminium, stainless steel, chrome, oak, walnut)

Drawer side profiles and drawer runners in nominal length and load class:

- a) 300 mm (space required 303 mm), 10 kg / 30 kg / 40 kg
- b) 350 mm (space required 353 mm), 10 kg / 30 kg / 40 kg
- c) 400 mm (space required 403 mm), 30 kg / 40 kg
- d) 450 mm (space required 453 mm), 30 kg / 40 kg / 70 kg
- e) 500 mm (space required 503 mm), 30 kg / 40 kg / 70 kg
- f) 550 mm (space required 553 mm), 30 kg / 40 kg / 70 kg
- g) 600 mm (space required 603 mm), 30 kg / 40 kg / 70 kg

Load capacity 10/30/40/70 kg to EN 15338 Level 3.

Integrated opening system with soft closing. Integrated vertical, lateral and tilt adjustment

Optional features

- ▶ Adapter for 10 mm fronts
- ▶ Interior organisation
- ▶ Push to open Silent synchronisation



Further information: www.hettich.com

AvanTech YOU, full extension runner with Push to open Silent

- ▶ Pot-and-pan drawer, height 187 mm (space required 192 mm), Load capacity XS (10 kg) / M (30 kg) / L (40 kg) / XL (70 kg)



- ▶ Slimline, sleek 13 mm drawer side profile without visible openings
- ▶ Drawer side profiles straight on the inside and outside
- ▶ Highly customisable through designer profiles or DesignCapes in various colours
- ▶ Invisibly integrated vertical, lateral and tilt adjustment
- ▶ Suitable for use with Actro YOU or Quadro YOU runner system
- ▶ Actro YOU drawer runner with integrated synchronisation, gentle and strong
- ▶ Push to open Silent - opening in response to a light push, silent and soft closing

Specification

AvanTech YOU pot-and-pan drawer from Hettich, powder coated in:

- a) silver aluminium colour
- b) pure matt white
- c) metal pigmented anthracite

Finish of designer elements:

- a) Designer profile on top of drawer side in drawer side colour or accent colour (aluminium, stainless steel, chrome, oak, walnut)
- b) DesignCape on top of drawer side/outer side in anodised aluminium or stainless steel look

Drawer side profiles and drawer runners in nominal length and load class:

- a) 270 mm (space required 273 mm), 10 kg / 30 kg / 40 kg
- b) 300 mm (space required 303 mm), 10 kg / 30 kg / 40 kg
- c) 350 mm (space required 353 mm), 10 kg / 30 kg / 40 kg
- d) 400 mm (space required 403 mm), 30 kg / 40 kg
- e) 450 mm (space required 453 mm), 30 kg / 40 kg / 70 kg
- f) 500 mm (space required 503 mm), 30 kg / 40 kg / 70 kg
- g) 550 mm (space required 553 mm), 30 kg / 40 kg / 70 kg
- h) 600 mm (space required 603 mm), 30 kg / 40 kg / 70 kg
- i) 650 mm (space required 653 mm), 70 kg

Load capacity 10/30/40/70 kg to EN 15338 Level 3.

Integrated opening system with soft closing. Integrated vertical, lateral and tilt adjustment

Optional features

- ▶ Adapter for 10 mm fronts
- ▶ Interior organisation
- ▶ Push to open Silent synchronisation



Further information: www.hettich.com

AvanTech YOU, full extension runner with Push to open Silent

- ▶ Pot-and-pan drawer, height 251 mm (space required 256 mm),
Load capacity XS (10 kg) / M (30 kg) / L (40 kg) / XL (70 kg)



- ▶ Slimline, sleek 13 mm drawer side profile without visible openings
- ▶ Drawer side profiles straight on the inside and outside
- ▶ Highly customisable through designer profiles in various colours
- ▶ Invisibly integrated vertical, lateral and tilt adjustment
- ▶ Suitable for use with Actro YOU or Quadro YOU runner system
- ▶ Actro YOU drawer runner with integrated synchronisation, gentle and strong
- ▶ Push to open Silent - opening in response to a light push, silent and soft closing

Specification

AvanTech YOU pot-and-pan drawer from Hettich, powder coated in:

- a) silver aluminium colour
- b) pure matt white
- c) metal pigmented anthracite

Finish of designer profile on top of drawer side profile:

- a) in drawer side profile colour
- b) in accent colour (aluminium, stainless steel, chrome, oak, walnut)

Drawer side profiles and drawer runners in nominal length and load class:

- a) 350 mm (space required 353 mm), 10 kg / 30 kg / 40 kg
- b) 400 mm (space required 403 mm), 30 kg / 40 kg
- c) 450 mm (space required 453 mm), 30 kg / 40 kg / 70 kg
- d) 500 mm (space required 503 mm), 30 kg / 40 kg / 70 kg
- e) 550 mm (space required 553 mm), 30 kg / 40 kg / 70 kg
- h) 600 mm (space required 603 mm), 30 kg / 40 kg / 70 kg
- g) 650 mm (space required 653 mm), 70 kg

Load capacity 10/30/40/70 kg to EN 15338 Level 3.

Integrated opening system with soft closing. Integrated vertical, lateral and tilt adjustment

Optional features

- ▶ Adapter for 10 mm fronts
- ▶ Interior organisation
- ▶ Push to open Silent synchronisation



Further information: www.hettich.com

AvanTech YOU, full extension runner with Push to open Silent

- ▶ Inlay pot-and-pan drawer, height 187 mm (space required 192 mm), Load capacity XS (10 kg) / M (30 kg) / L (40 kg) / XL (70 kg)



- ▶ Slimline, sleek 13 mm drawer side profile without visible openings
- ▶ Drawer side profiles straight on the inside and outside
- ▶ Highly customisable through inlays in glass or any chosen materials/looks
- ▶ Invisibly integrated vertical, lateral and tilt adjustment
- ▶ Suitable for use with Actro YOU or Quadro YOU runner system
- ▶ Actro YOU drawer runner with integrated synchronisation, gentle and strong
- ▶ Push to open Silent - opening in response to a light push, silent and soft closing

Specification

AvanTech YOU pot-and-pan drawer from Hettich, powder coated in:

- a) silver aluminium colour
- b) pure matt white
- c) metal pigmented anthracite

Finish of Inlay drawer side panel:

- a) clear glass
- b) customised

Drawer side profiles and drawer runners in nominal length and load class:

- a) 350 mm (space required 353 mm), 10 kg / 30 kg / 40 kg
- b) 400 mm (space required 403 mm), 30 kg / 40 kg
- c) 450 mm (space required 453 mm), 30 kg / 40 kg / 70 kg
- d) 500 mm (space required 503 mm), 30 kg / 40 kg / 70 kg
- e) 550 mm (space required 553 mm), 30 kg / 40 kg / 70 kg
- h) 600 mm (space required 603 mm), 30 kg / 40 kg / 70 kg
- g) 650 mm (space required 653 mm), 70 kg

Load capacity 10/30/40/70 kg to EN 15338 Level 3.

Integrated opening system with soft closing. Integrated vertical, lateral and tilt adjustment

Optional features

- ▶ Adapter for 10 mm fronts
- ▶ Interior organisation
- ▶ Push to open Silent synchronisation



Further information: www.hettich.com

AvanTech YOU, full extension runner with Push to open Silent

- ▶ Internal drawer, height 101 mm (space required 106 mm),
Load capacity XS (10 kg) / M (30 kg) / L (40 kg) / XL (70 kg)



- ▶ Slimline, sleek 13 mm drawer side profile without visible openings
- ▶ Drawer side profiles straight on the inside and outside
- ▶ Highly customisable through designer profiles or DesignCapes in various colours
- ▶ Invisibly integrated vertical, lateral and tilt adjustment
- ▶ Suitable for use with Actro YOU or Quadro YOU runner system
- ▶ Actro YOU drawer runner with integrated synchronisation, gentle and strong
- ▶ Push to open Silent - opening in response to a light push, silent and soft closing

Specification

AvanTech YOU internal drawer from Hettich, powder coated in:

- a) silver aluminium colour
- b) pure matt white
- c) metal pigmented anthracite

Finish of designer elements:

- a) Designer profile on top of drawer side in drawer side colour or accent colour (aluminium, stainless steel, chrome, oak, walnut)
- b) DesignCape on top of drawer side/outer side in anodised aluminium or stainless steel look

Closed internal front.

Drawer side profiles and drawer runners in nominal length and load class:

- a) 270 mm (space required 291 mm), 10 kg / 30 kg / 40 kg
- b) 300 mm (space required 321 mm), 10 kg / 30 kg / 40 kg
- c) 350 mm (space required 371 mm), 10 kg / 30 kg / 40 kg
- d) 400 mm (space required 421 mm), 30 kg / 40 kg
- e) 450 mm (space required 471 mm), 30 kg / 40 kg / 70 kg
- f) 500 mm (space required 521 mm), 30 kg / 40 kg / 70 kg
- g) 550 mm (space required 571 mm), 30 kg / 40 kg / 70 kg
- h) 600 mm (space required 621 mm), 30 kg / 40 kg / 70 kg
- i) 650 mm (space required 671 mm), 70 kg

Load capacity 10/30/40/70 kg to EN 15338 Level 3.

Integrated opening system with soft closing. Integrated vertical, lateral and tilt adjustment

Optional features

- ▶ Adapter for 10 mm fronts
- ▶ Interior organisation
- ▶ Push to open Silent synchronisation



Further information: www.hettich.com

AvanTech YOU, full extension runner with Push to open Silent

- ▶ Internal drawer, height 139 mm (space required 144 mm),
Load capacity XS (10 kg) / M (30 kg) / L (40 kg) / XL (70 kg)



- ▶ Slimline, sleek 13 mm drawer side profile without visible openings
- ▶ Drawer side profiles straight on the inside and outside
- ▶ Highly customisable through designer profiles in various colours
- ▶ Invisibly integrated vertical, lateral and tilt adjustment
- ▶ Suitable for use with Actro YOU or Quadro YOU runner system
- ▶ Actro YOU drawer runner with integrated synchronisation, gentle and strong
- ▶ Push to open Silent - opening in response to a light push, silent and soft closing

Specification

AvanTech YOU internal drawer from Hettich, powder coated in:

- a) silver aluminium colour
- b) pure matt white
- c) metal pigmented anthracite

Finish of designer profile on top of drawer side profile:

- a) in drawer side profile colour
- b) in accent colour (aluminium, stainless steel, chrome, oak, walnut)

Closed internal front.

Drawer side profiles and drawer runners in nominal length and load class:

- b) 300 mm (space required 321 mm), 10 kg / 30 kg / 40 kg
- c) 350 mm (space required 371 mm), 10 kg / 30 kg / 40 kg
- d) 400 mm (space required 421 mm), 30 kg / 40 kg
- e) 450 mm (space required 471 mm), 30 kg / 40 kg / 70 kg
- f) 500 mm (space required 521 mm), 30 kg / 40 kg / 70 kg
- g) 550 mm (space required 571 mm), 30 kg / 40 kg / 70 kg
- h) 600 mm (space required 621 mm), 30 kg / 40 kg / 70 kg

Load capacity 10/30/40/70 kg to EN 15338 Level 3.

Integrated opening system with soft closing. Integrated vertical, lateral and tilt adjustment

Optional features


- ▶ Adapter for 10 mm fronts
- ▶ Interior organisation
- ▶ Push to open Silent synchronisation



Further information: www.hettich.com

AvanTech YOU, full extension runner with Push to open Silent

- ▶ Internal pot-and-pan drawer, height 187 mm (space required 192 mm), Load capacity XS (10 kg) / M (30 kg) / L (40 kg) / XL (70 kg)



- ▶ Slimline, sleek 13 mm drawer side profile without visible openings
- ▶ Drawer side profiles straight on the inside and outside
- ▶ Highly customisable through designer profiles or DesignCapes in various colours
- ▶ Invisibly integrated vertical, lateral and tilt adjustment
- ▶ Suitable for use with Actro YOU or Quadro YOU runner system
- ▶ Actro YOU drawer runner with integrated synchronisation, gentle and strong
- ▶ Push to open Silent - opening in response to a light push, silent and soft closing

Specification

AvanTech YOU internal pot-and-pan drawer from Hettich, powder coated in:

- a) silver aluminium colour
- b) pure matt white
- c) metal pigmented anthracite

Finish of designer elements:

- a) Designer profile on top of drawer side in drawer side colour or accent colour (aluminium, stainless steel, chrome, oak, walnut)
- b) DesignCape on top of drawer side/outer side in anodised aluminium or stainless steel look

Closed internal front.

Drawer side profiles and drawer runners in nominal length and load class:

- a) 270 mm (space required 291 mm), 10 kg / 30 kg / 40 kg
- b) 300 mm (space required 321 mm), 10 kg / 30 kg / 40 kg
- c) 350 mm (space required 371 mm), 10 kg / 30 kg / 40 kg
- d) 400 mm (space required 421 mm), 30 kg / 40 kg
- e) 450 mm (space required 471 mm), 30 kg / 40 kg / 70 kg
- f) 500 mm (space required 521 mm), 30 kg / 40 kg / 70 kg
- g) 550 mm (space required 571 mm), 30 kg / 40 kg / 70 kg
- h) 600 mm (space required 621 mm), 30 kg / 40 kg / 70 kg
- i) 650 mm (space required 671 mm), 70 kg

Load capacity 10/30/40/70 kg to EN 15338 Level 3.

Integrated opening system with soft closing. Integrated vertical, lateral and tilt adjustment

Optional features


- ▶ Adapter for 10 mm fronts
- ▶ Interior organisation
- ▶ Push to open Silent synchronisation



Further information: www.hettich.com

AvanTech YOU, full extension runner with Push to open Silent

- ▶ Inlay internal pot-and-pan drawer, height 187 mm (space required 192 mm), Load capacity XS (10 kg) / M (30 kg) / L (40 kg) / XL (70 kg)



- ▶ Slimline, sleek 13 mm drawer side profile without visible openings
- ▶ Drawer side profiles straight on the inside and outside
- ▶ Highly customisable through inlays in glass or any chosen materials/looks
- ▶ Invisibly integrated vertical, lateral and tilt adjustment
- ▶ Suitable for use with Actro YOU or Quadro YOU runner system
- ▶ Actro YOU drawer runner with integrated synchronisation, gentle and strong
- ▶ Push to open Silent - opening in response to a light push, silent and soft closing

Specification

AvanTech YOU internal pot-and-pan drawer from Hettich, powder coated in:

- a) silver aluminium colour
- b) pure matt white
- c) metal pigmented anthracite

Finish of Inlay drawer side panel:

- a) clear glass
- b) customised

Closed internal front.

Drawer side profiles and drawer runners in nominal length and load class:

- a) 350 mm (space required 371 mm), 10 kg / 30 kg / 40 kg
- b) 400 mm (space required 421 mm), 30 kg / 40 kg
- c) 450 mm (space required 471 mm), 30 kg / 40 kg / 70 kg
- d) 500 mm (space required 521 mm), 30 kg / 40 kg / 70 kg
- e) 550 mm (space required 571 mm), 30 kg / 40 kg / 70 kg
- h) 600 mm (space required 621 mm), 30 kg / 40 kg / 70 kg
- g) 650 mm (space required 671 mm), 70 kg

Load capacity 10/30/40/70 kg to EN 15338 Level 3.

Integrated opening system with soft closing. Integrated vertical, lateral and tilt adjustment

Optional features


- ▶ Adapter for 10 mm fronts
- ▶ Interior organisation
- ▶ Push to open Silent synchronisation



Further information: www.hettich.com

AvanTech YOU, full extension runner with Push to open Silent

- ▶ Internal pot-and-pan drawer with customisable front, height 187 mm (space required 192 mm), Load capacity XS (10 kg) / M (30 kg) / L (40 kg) / XL (70 kg)



- ▶ Slimline, sleek 13 mm drawer side profile without visible openings
- ▶ Drawer side profiles straight on the inside and outside
- ▶ Highly customisable through designer profiles or DesignCapes in various colours
- ▶ Invisibly integrated vertical, lateral and tilt adjustment
- ▶ Suitable for use with Actro YOU or Quadro YOU runner system
- ▶ Actro YOU drawer runner with integrated synchronisation, gentle and strong
- ▶ Push to open Silent - opening in response to a light push, silent and soft closing

Specification

AvanTech YOU internal pot-and-pan drawer from Hettich, powder coated in:

- a) silver aluminium colour
- b) pure matt white
- c) metal pigmented anthracite

Finish of designer elements:

- a) Designer profile on top of drawer side in drawer side colour or accent colour (aluminium, stainless steel, chrome, oak, walnut)
- b) DesignCape on top of drawer side/outer side in anodised aluminium or stainless steel look

Finish of customisable internal front in half height or full height:

- a) clear glass
- b) customised

Drawer side profiles and drawer runners in nominal length and load class:

- a) 270 mm (space required 291 mm), 10 kg / 30 kg / 40 kg
- b) 300 mm (space required 321 mm), 10 kg / 30 kg / 40 kg
- c) 350 mm (space required 371 mm), 10 kg / 30 kg / 40 kg
- d) 400 mm (space required 421 mm), 30 kg / 40 kg
- e) 450 mm (space required 471 mm), 30 kg / 40 kg / 70 kg
- f) 500 mm (space required 521 mm), 30 kg / 40 kg / 70 kg
- g) 550 mm (space required 571 mm), 30 kg / 40 kg / 70 kg
- h) 600 mm (space required 621 mm), 30 kg / 40 kg / 70 kg
- i) 650 mm (space required 671 mm), 70 kg

Load capacity 10/30/40/70 kg to EN 15338 Level 3.

Integrated opening system with soft closing. Integrated vertical, lateral and tilt adjustment

Optional features

- ▶ Adapter for 10 mm fronts
- ▶ Interior organisation
- ▶ Push to open Silent synchronisation



Further information: www.hettich.com