




# INTERIOR FITTINGS Overview



2025





The Interior Fittings range is designed to elevate storage functionality across every corner of the home. Thoughtfully engineered and made in Italy, this new collection combines contemporary design with high-performance materials to deliver smarter, space-optimised solutions for wardrobes, kitchens, laundries and more.

From sleek pull-out fittings and versatile shelving systems to soft-close mechanisms and clever corner units, every product is developed with ease of access, durability, and modern living.

# Interior fittings for pantry units

## OLONA pull-out larder, Series 200



- Full extension roller runners with soft close system
- Soft open system available on demand
- Three-dimensional adjustment of the door
- Total load capacity: 120 kg
- Maximum load per basket: 10 kg
- Installation depth: 494 mm
- Baskets supplied with an anti-slip mat
- Colour Anthracite

Order the frame, runner and baskets separately.

### OLONA frame



Minimum inside cabinet width mm	Frame height mm	Order no.	PU
300	1600-1950	9 380 994	1
400	1600-1950	9 380 995	1
300	1900-2250	9 380 998	1
400	1900-2250	9 380 999	1

### OLONA runner



Description	Order no.	PU
Olona full ext.runner 100KG Silent System	9 380 989	1 set
Olona full ext.runner 100KG Soft Close / Soft Open	9 380 991	1 set

### OLONA baskets 200 series



Description	Order no.	PU
Olona clip-on shelf Cabinet Width 300	9 381 002	1 set
Olona clip-on shelf Cabinet Width 400	9 381 003	1 set

Note: Actual colour is anthracite and may differ slightly from the render shown.



# Interior fittings for pantry units

## OLONA pull-out larder, Series 400



- Full extension roller runners with soft close system
- Soft open system available on demand
- Three-dimensional adjustment of the door
- Total load capacity: 120 kg
- Maximum load per basket: 10 kg
- Installation depth: 494 mm
- Colour Anthracite

Order the frame, runner and baskets separately

### OLONA frame




Minimum inside cabinet width mm	Frame height mm	Order no.	PU
300	1600-1950	9 380 994	1
400	1600-1950	9 380 995	1
300	1900-2250	9 380 998	1
400	1900-2250	9 380 999	1

### OLONA runner



Description	Order no.	PU
Olona full ext.runner 100KG Silent System	9 380 989	1 set
Olona full ext.runner 100KG Soft Close / Soft Open	9 380 991	1 set

### OLONA baskets 400 series



Description	Order no.	PU
Olona clip-on shelf Cabinet Width 300	9 381 006	1 set
Olona clip-on shelf Cabinet Width 400	9 381 007	1 set

Note: Actual colour is anthracite and may differ slightly from the render shown.



# Interior fittings for pantry units

## ISEO double swing out larder




- Single extension roller runners
- Total load capacity: 85 kg
- Maximum load per basket: 10 kg (inner), 5 kg (door)
- Installation depth: 495 mm
- Reversible, it can be mounted with doors opening to the right or the left
- Works with hinges with a maximum opening angle of 115°
- Colour Anthracite
- 200 series baskets supplied with anti-slip mat

Order the frame set and baskets separately


- (3 basket sets are required for a full pantry)

### ISEO frame set




Minimum inside cabinet width mm	Frame height mm	Order no.	PU
600	1700	9 381 009	1

### ISEO baskets, Series 400 & 200



**400 Series**



**200 Series**

Description	Order no.	PU
Iseo basket set 2+2 Series 400 CW600	9 381 011	1 set
Iseo basket set 2+2 Series 200 CW600	9 381 012	1 set

# Interior fittings for cupboards

## LARIO base pull-out, Series 200



- Full extension runners with soft close system
- Three-dimensional adjustment of the door
- Total load capacity: 30 kg
- Possibility to have the runners on the left, on the right side or crossed
- Supplied with an anti-slip mat
- Quadro V6 runners to be ordered separately

### 200 Series

Minimum external width using 16mm material	Order no.	PU
150	9 381 020	1
200	9 381 021	1
300	9 381 028	1
400	9 381 029	1

### Quadro Runners



Description	Order no.	PU
Quadro V6 470 drawer runner LH with Silent System	9 118 054	1
Quadro V6 470 drawer runner RH with Silent System	9 118 055	1
Quadro V6 470 drawer runner SET with Silent System	9 318 956	1

Note: Actual colour is anthracite and may differ slightly from the render shown.



# Interior fittings for cupboards

## LARIO base pull-out, Series 400




- Full extension runners with soft close system
- Three-dimensional adjustment of the door
- Total load capacity: 30 kg
- Possibility to have the runners on the left, on the right side or crossed
- 4 x Anthracite bottle holder dividers as standard

### 400 Series

Minimum external width using 16mm material	Order no.	PU
150	9 381 024	1
200	9 381 025	1
300	9 381 032	1
400	9 381 033	1

### Dividers for Lario Pull-Outs



Divider Set	Order no.	PU
Divider set plastic transparent	9 381 036	1
Divider set plastic anthracite	9 381 037	1

### Quadro Runners



Description	Order no.	PU
Quadro V6 470 drawer runner LH with Silent System	9 118 054	1
Quadro V6 470 drawer runner RH with Silent System	9 118 055	1
Quadro V6 470 drawer runner SET with Silent System	9 318 956	1

Note: Actual colour is anthracite and may differ slightly from the render shown.

# Interior fittings for pantry units

## SALSO pull-out corner shelves, Series 200



- Mechanism equipped with soft-close system as standard
- Total load capacity: 40 kg
- Maximum load per basket: 20 kg
- Shelves can be adjusted in height
- Installation depth: 460 mm
- Installation height (min-max): 620-780 mm
- Non-reversible product
- Supplied with anti-slip mat
- Colour Anthracite

### Fitting Set

Minimum inside cabinet width mm	Order no.	PU
DW450/500 LH anthracite	9 381 057	1
DW450/500 RH anthracite	9 381 058	1
DW600 LH anthracite	9 381 059	1
DW600 RH anthracite	9 381 060	1

### Salso shelf set

200 Series Shelf Set	Order no.	PU
DW450 LH anthracite	9 381 063	1
DW450 RH anthracite	9 381 064	1
DW500 LH anthracite	9 381 065	1
DW500 RH anthracite	9 381 066	1
DW600 LH anthracite	9 381 067	1
DW600 RH anthracite	9 381 068	1

Note: Actual colour is anthracite and may differ slightly from the render shown.



# Interior fittings for pantry units

## SALSO pull-out corner shelves, Series 400



- Mechanism equipped with soft-close system as standard
- Total load capacity: 40 kg
- Maximum load per basket: 20 kg
- Shelves can be adjusted in height
- Installation depth: 460 mm
- Installation height (min-max): 620-780 mm
- Non-reversible product
- Colour Anthracite

### Fitting Set

Minimum inside cabinet width mm	Order no.	PU
DW450/500 LH anthracite	9 381 057	1
DW450/500 RH anthracite	9 381 058	1
DW600 LH anthracite	9 381 059	1
DW600 RH anthracite	9 381 060	1

### Salso shelf set

400 Series Shelf Set	Order no.	PU
DW450 LH anthracite	9 381 087	1
DW450 RH anthracite	9 381 088	1
DW500 LH anthracite	9 381 089	1
DW500 RH anthracite	9 381 090	1
DW600 LH anthracite	9 381 091	1
DW600 RH anthracite	9 381 092	1

Note: Actual colour is anthracite and may differ slightly from the render shown.



- Easy installation in few steps
- Independent internal baskets movement for better access on full extension synchronised runners with soft-close system
- Maximum load per basket: 11 Kg (inner), 7 kg (outer)
- Installation depth: 500 mm | Installation height: 575 mm
- Reversible, it can be mounted with doors opening to the right or the left
- Supplied with anti-slip mat
- Colour Anthracite

### Frame Set

Minimum inside cabinet width mm	Order no.	PU
DW450 LH/RH	9 381 098	1
DW500 LH/RH	9 381 099	1
DW600 LH/RH	9 381 100	1

### Shelf set

200 Series Shelf Set	Order no.	PU
DW450	9 381 106	1
DW500	9 381 107	1
DW600	9 381 108	1





- Easy installation in few steps
- Independent internal baskets movement for better access on full extension synchronised runners with soft-close system
- Maximum load per basket: 11 Kg (inner), 7 kg (outer)
- Installation depth: 500 mm | Installation height: 575 mm
- Reversible, it can be mounted with doors opening to the right or the left
- Colour Anthracite

### Frame Set

Minimum inside cabinet width mm	Order no.	PU
DW450 LH/RH	9 381 098	1
DW500 LH/RH	9 381 099	1
DW600 LH/RH	9 381 100	1

### Shelf set

400 Series Shelf Set	Order no.	PU
DW450	9 381 114	1
DW500	9 381 115	1
DW600	9 381 116	1

# Interior fittings for corner cupboards

## GORO double corner mechanism, Series 200



- Easy installation in a few steps
- Independent internal baskets movement for better access on full extension synchronised runners with soft-close system
- Maximum load per basket: 11 Kg (inner), 7 kg (outer)
- Installation depth: 500 mm | Installation height: 575 mm
- Reversible, it can be mounted with doors opening to the right or the left
- Supplied with an anti-slip mat
- Colour Anthracite

### Frame set

Minimum inside cabinet width mm	Order no.	PU
DW450 LH	9 381 119	1
DW450 RH	9 381 120	1
DW500 LH	9 382 253	1
DW500 RH	9 382 257	1
DW600 LH	9 382 259	1
DW600 RH	9 382 260	1

### Shelf set

200 Series Shelf Set	Order no.	PU
DW450	9 381 122	1
DW500	9 382 263	1
DW600	9 382 264	1

Note: Actual colour is anthracite and may differ slightly from the render shown.



# Interior fittings for corner cupboards

## GORO double corner mechanism, Series 400



- Easy installation in a few steps
- Independent internal baskets movement for better access on full extension synchronised runners with soft-close system
- Maximum load per basket: 11 Kg (inner), 7 kg (outer)
- Installation depth: 500 mm | Installation height: 575 mm
- Reversible, it can be mounted with doors opening to the right or the left
- Colour Anthracite

### Frame set

Minimum inside cabinet width mm	Order no.	PU
DW450 LH	9 381 119	1
DW450 RH	9 381 120	1
DW500 LH	9 382 253	1
DW500 RH	9 382 257	1
DW600 LH	9 382 259	1
DW600 RH	9 382 260	1

### Shelf set

400 Series	Order no.	PU
DW450	9 381 124	1
DW500	9 382 261	1
DW600	9 382 262	1

Note: Actual colour is anthracite and may differ slightly from the render shown.

# Interior fittings for corner cupboards

## SENIO pull-out for shelves




- Loading capacity 30kg
- Sizes 450
- Pull-out drawer basket
- Full extension runners with soft close system
- Three-dimensional adjustment of the door
- Total load capacity: 30 kg
- Installation depth: 490 mm
- Installation height: 120 mm
- Suitable for hinged door applications
- Supplied with front connectors
- Colour Anthracite


### 100 Series

Description	Order no.	PU
Senio complete set 300 DW450 LH	9 382 265	1
Senio complete set 300 DW450 RH	9 382 266	1

Fixing by brackets, three dimensional adjustement of the door



Mechanism for hinged doors



Note: Actual colour is anthracite and may differ slightly from the render shown.

# Interior fittings for lift systems

## ATRI pull down shelf



- Sizes 600/900
- Available with single or double shelf
- Stable movement with soft-close system as standard
- Patented locking system on opening
- Total load capacity: 8 kg
- Installation height: 485 mm
- Installation depth: 280 mm
- Colour Anthracite

### Atri lift set

Cabinet width mm	Number of shelves / baskets	Order no.	PU
Atri lift sytem 1-level W600	1	9 382 270	1
Atri lift sytem 1-level W900	1	9 382 271	1
Atri lift sytem 2-level W600	2	9 382 272	1
Atri lift system 2-level W900	2	9 382 273	1



1-Level



2-Level

Note: Actual colour is anthracite and may differ slightly from the render shown.

Interior fittings for under-sink  
**OIRA pull-out for cleaning**



- 15kg per shelf
- Side mounted under-sink pull-out unit
- Single extension runners included
- Total load capacity: 15 kg
- Installation width: 270 mm
- Installation depth: 450 mm
- Installation height: 450 mm
- Reversible, it can be mounted on the right or left side of the cabinet
- Colour Anthracite & Chrome

Oira pull out cleaning

Colour	Order no.	PU
Chrome	9 381 047	1
Anthracite	9 381 048	1

Note: Actual colour is anthracite and may differ slightly from the render shown.





Explore our extensive range of drawers, hinges, sliding and folding systems, innovative Magic lighting solutions, and more – all meticulously designed to elevate functionality, enhance aesthetics, and support seamless, sophisticated living.

Want to see our products in person? Scan the QR code to locate a showroom near you and experience Hettich innovations up close.



Learn more about the  
Hettich family-owned company  
and get to know us better!

